

2022-2023 EDITION

VB SPORTS

made to measure net **specialist**



Le Gîte - 76490 Saint Wandrille Rançon
Phone. 02 35 56 17 40 - Fax. 02 35 56 17 44

www.vbsports.fr
contact@vbsports.eu



YOUR MEASURE
MADE PROJECTS



ENTIRELY SEWN
AND CUT IN FRANCE



VERY SHORT
DELIVERY TIMES



VB Sports is a team with 21 years of authentic know-how.

2001 : Creation of VB SPORTS by Loïc LE GOFF

2005 : Fitting out of new premises located halfway between 2 major port cities which are Le Havre and Rouen

- Strong increase of the product offer : From 100 standard references at the beginning to more than 500 today, from 100 custom-made product references to more than 1,000 references.
- Constant growth of the staff

2014 : Reorganisation of the sales department: France becomes divided into 2 sectors: North and South

2018 : Reinforcement of the teams: A sales assistant completes the team, France becomes divided into 3 sectors. Two seamstresses join the team already in place with a workforce of 9 people in the sewing department. A presence in the field with the recruitment of a new sales representative.

2019 : Launch of our new website.

2021 (January) : An export sales assistant joins the customer support team to develop exports.

2021 (August) : Acquisition of the company France Filets, manufacturer of mezzanin netting and trampoline nets for multihulls.

2022 : Reorganisation of the sales department: 4 sales assistants divide France in 4 sectors and 1 export sales assistant completes our customer support team.


Our workshop in Normandy currently has 13 seamstresses, and 8 seamstresses are present in our workshop in Brittany.

VB Sports has obtained the «ORIGINE FRANCE GARANTIE 2022» LABEL for 10 of its products. This label enables VB Sports to promote its production and know-how through this certification process.

CONTENTS

- **Ball Stop Netting / Protective nets** p.5
- **Sports Netting** p.13
- **Trial Balls** p.25
- **Windbreak netting & Privacy Netting** p.27
- **Dump truck nets** p.33
- **Construction Site Netting** p.35
- **Bird Netting** p.39
- **Trampoline nets for multihulls** p.43
- **Trampoline nets for housing** p.47
- **Net Dyeing** p.51
- **Digital Printing** p.55
- **Our Certified Products** ORIGINE FRANCE GARANTIE  p.59
- **Installation accessories** FCBA 2207100 p.63

SALES TEAM



Sales Department - France

Johanna PEYRAUX

02 35 56 17 43
contact3@vbsports.eu

Marion NAOUR

02 35 56 17 40
contact@vbsports.eu

Céline ARCELUS

02 35 56 17 43
contact4@vbsports.eu

Marion POUETTE

02 35 95 73 63
contact5@vbsports.eu

Sales Department - Export

Export : Sport
Export and France : Catamarans and mezzanine netting

Pauline BISSON

02 35 56 17 42
contact2@vbsports.eu






BALL STOP NETTING

PROTECTIVE NETTING

- **POLYETHYLENE** p.6
 - 4 mm
 - 3,5 mm
 - 3 mm
 - 2,5 mm
 - 2 mm
 - 1,8 mm
 - 1,3 mm
 - 1 mm
- **NYLON** p.10
- **POLYPROPYLENE** p.11
 - 4 mm
 - 3 mm
 - 5 mm

POLYETHYLENE 4mm braided



Material: Waterproof high-density polyethylene (HDPE)

Melting point: 130°

Anti UV treatment: Stabilisation by the Ciba-Geigy process at 320 KLY

Manufacturing: Braided knotted - square mesh

Titration: 190 m/kg

Finish: Overlock (bolt rope) 4 mm polyethylene

REFERENCE	MESH	COLOUR	WEIGHT
1TNC040514	40x40 mm	Aqua Green	350 gr/m ²
1TNC050514	50x50 mm	Aqua Green	340 gr/m ²
1TNC100114	100x100 mm	Black	140 gr/m ²
1TNC100214	100x100 mm	White	140 gr/m ²
1TNC100514	100x100 mm	Aqua Green	140 gr/m ²
1TNC100614	100x100 mm	Blue	140 gr/m ²
1TNC100914	100x100 mm	Yellow	140 gr/m ²
1TNC120114	120x120 mm	Black	110 gr/m ²
1TNC120514	120x120 mm	Aqua Green	110 gr/m ²

POLYETHYLENE 3.5mm braided

Material : Waterproof high-density polyethylene (HDPE)

Melting point: 130°

Anti UV treatment: Stabilisation by the Ciba-Geigy process at 320 KLY

Manufacturing: Braided knotted - square mesh

Titration: 280 m/kg

Finish: Overlock (bolt rope) 4mm polyethylene



REFERENCE	MESH	COLOUR	WEIGHT
1TNC048112	48x48 mm	Black	230 gr/m ²
1TNC100112	100x100 mm	Black	95 gr/m ²
1TNC120112	120x120 mm	Black	71 gr/m ²
1TNC145112	145x145 mm	Black	59 gr/m ²

POLYETHYLENE 3mm braided

Material: Waterproof high-density polyethylene (HDPE)


Melting point: 130°

Anti UV treatment: Stabilisation by the Ciba-Ceigy process at 320 KLY

Manufacturing: Braided knotted - square mesh

Titration: 330 m/kg - **Finish:** Overlock (bolt rope) 4 mm polyethylene

REFERENCE	MESH	COLOUR	WEIGHT
1TNC035365	35x35 mm	Dark Green	285 gr/m ²
1TNC048165	48x48 mm	Black	175 gr/m ²
1TNC048265	48x48 mm	White	175 gr/m ²
1TNC048665	48x48 mm	Blue	175 gr/m ²
1TNC048365	48x48 mm	Dark Green	175 gr/m ²
1TNC048865	48x48 mm	Dark Grey	175 gr/m ²
1TNC100165	100x100 mm	Black	75 gr/m ²
1TNC100265	100x100 mm	White	75 gr/m ²
1TNC100865	100x100 mm	Dark Grey	75 gr/m ²
1TNC120365	120x120 mm	Dark Green	58 gr/m ²
1TNC145365	145x145 mm	Dark Green	46 gr/m ²
1TNC145810	145x145 mm	Dark Grey	46 gr/m ²



POLYETHYLENE 2.5m twisted

Material: Waterproof high-density polyethylene (HDPE)

Melting point: 130°


Anti UV treatment: Stabilisation by the process Ciba-Ceigy at 320 KLY

Manufacturing: Twisted knotted - square mesh

Titration: 3x12x600D

Finishing: Overlock (bolt rope) 4 mm polyethylene

REFERENCE	MESH	COLOUR	WEIGHT
1CNC048310	48x48 mm	Dark Green	168 gr/m ²
1CNC048110	48x48 mm	Black	168 gr/m ²
1CNC100310	100x100 mm	Dark Green	67 gr/m ²
1CNC100110	100x100 mm	Black	67 gr/m ²
1CNC120310	120x120 mm	Dark Green	52 gr/m ²
1CNC120110	120x120 mm	Black	52 gr/m ²
1CNC145310	145x145 mm	Dark Green	43 gr/m ²
1CNC145110	145x145 mm	Black	43 gr/m ²



POLYETHYLENE 2.5 mm knotless

Material: Waterproof high-density polyethylene (HDPE)


Melting point: 130°

Anti UV treatment: Stabilisation by the Ciba-Ceigy process at 320 KLY

Manufacturing: Knotless - square mesh

Titration: 15/032

Finish: Overlock (bolt rope) 4mm polyethylene



REFERENCE	MESH	COLOUR	WEIGHT
1TMC045310	45x45 mm	Green	130 gr/m ²
1TMC100310	100x100 mm	Green	55 gr/m ²
1TMC145310	145x145 mm	Green	41 gr/m ²

POLYETHYLENE 2mm twisted

Material: Waterproof high-density polyethylene (HDPE)


Melting point: 130°

Anti UV treatment: Stabilisation by the Ciba-Ceigy process at 320 KLY

Manufacturing: Twisted knotted - square mesh

Titration: 3x9x60D and 3x8x600D for 25x25mm mesh

Finish: Overlock (bolt rope) 4mm polyethylene



REFERENCE	MESH	COLOUR	WEIGHT
1CNC025361	25x25 mm	Dark Green	240 gr/m ²
1CNC048161	48x48 mm	Black	110 gr/m ²
1CNC100161	100x100 mm	Black	48 gr/m ²
1CNC145161	145x145 mm	Black	30 gr/m ²

POLYETHYLENE 1.8mm knotless

Material: Waterproof high-density polyethylene (HDPE)

Melting point: 130°

Anti UV treatment: Stabilisation by the Ciba-Ceigy process at 320 KLY

Manufacturing: Knotless - square mesh

Titration: 7/700D

Finish: Overlock (bolt rope) 4mm polyethylene



REFERENCE	MESH	COLOUR	WEIGHT
1TMC025140	25x25 mm	Black	110 gr/m ²
1TMC050140	50x50 mm	Black	63 gr/m ²
1TMC100140	100x100 mm	Black	48 gr/m ²

POLYETHYLENE 1.8 mm twisted

Material: Waterproof high-density polyethylene (HDPE)


Melting point: 130°

Anti UV treatment: Stabilisation by the Ciba-Ceigy process at 320 KLY

Manufacturing: Twisted knotted - square mesh

Titration: 3x10x380D

Finish: Overlock (bolt rope) 4mm polyethylene



REFERENCE	MESH	COLOUR	WEIGHT
1CNC025159	25x25 mm	Black	175 gr/m ²
1CNC050159	50x50 mm	Black	69 gr/m ²

POLYETHYLENE 1.3mm twisted

Material: Waterproof high-density polyethylene (HDPE)


Melting point: 130°

Anti UV treatment: Stabilisation by the Ciba-Ceigy process at 320 KLY

Manufacturing: Twisted knotted - square mesh

Titration: 3x5x380D

Finish: Overlock (bolt rope) 4mm polyethylene



REFERENCE	MESH	COLOUR	WEIGHT
1CNC020155	20x20 mm	Black	115 gr/m ²
1CNC025155	25x25 mm	Black	81 gr/m ²
1CNC030155	30x30 mm	Black	65 gr/m ²
1CNC050155	50x50 mm	Black	35 gr/m ²

POLYETHYLENE 1mm twisted

Material: Waterproof high-density polyethylene (HDPE)


Melting point: 130°

Anti UV treatment: Stabilisation by the Ciba-Ceigy process at 320 KLY

Manufacturing: Twisted knotted - square mesh

Titration: 3x2x380D

Finish: Overlock (bolt rope) 4mm polyethylene



REFERENCE	MESH	COLOUR	WEIGHT
1CNC019153	19x19 mm	Black	72 gr/m ²

PROTECTIVE NETTING / BALL STOP NETTING


NYLON twisted

Material: High tenacity polyamide

Melting point: 220°

Manufacturing: Twisted knotted – square mesh

Finish: Overlock (bolt rope) 4 mm



REFERENCE	TYPE	MESH	COLOUR	WEIGHT
1CNC025303	1,8 mm	25x25 mm	Dark Green	180 gr/m ²
1CNC025203	1,8 mm	25x25 mm	White	180 gr/m ²
1CNC025903	1,8 mm	25x25 mm	Yellow	195 gr/m ²
1CNC048203	1,8 mm	48x48 mm	White	101 gr/m ²
1CNC048305	2 mm	48x48 mm	Dark Green	142 gr/m ²
1CNC048105	2 mm	48x48 mm	Black	142 gr/m ²
1CNC048205	2 mm	48x48 mm	White	142 gr/m ²
1CNC100205	2 mm	100x100 mm	White	65 gr/m ²



FCBA 2207100

OFG label for the 48mm mesh in green, black or white for a surface < 5m²


NYLON braided

Material: High tenacity polyamide

Melting point: 220°

Manufacturing: Braided knotted – square mesh

Finish: Overlock (bolt rope) 4 mm



REFERENCE	TYPE	MESH	COLOUR	WEIGHT
1TNC025203	2 mm	25x25 mm	White	180 gr/m ²
1TNC040105	3 mm	40x40 mm	Black	260 gr/m ²
1TNC040205	3 mm	40x40 mm	White	260 gr/m ²
1TNC045105	3 mm	45x45 mm	Black	230 gr/m ²
1TNC045205	3 mm	45x45 mm	White	230 gr/m ²
1TNC045207	4 mm	45x45 mm	White	434 gr/m ²
1TNC100210	3 mm	100x100 mm	White	130 gr/m ²
1TNC100130	5 mm	100x100 mm	Black	210 gr/m ²


NYLON braided knotless

Material: High tenacity polyamide

Melting point: 220°

Manufacturing: Braided knotted – square mesh

Finish: Overlock (bolt rope) 4 mm



REFERENCE	TYPE	MESH	COLOUR	WEIGHT
1TMC025205	2 mm	25x25 mm	White	160 gr/m ²
1TMC025105	2 mm	25x25 mm	Black	160 gr/m ²
1TMC025225	2,8 mm	25x25 mm	White	260 gr/m ²

POLYPROPYLENE 3mm knotless


Material: Multi-filament polypropylene

Melting point: 118°

Anti UV treatment: Stabilisation by the Ciba-Ceigy process

Manufacturing: Knotless - square mesh

Finish: Overlock (bolt rope) 6mm polyethylene



REFERENCE	TYPE	MESH	COLOUR	WEIGHT
1TMC025210	2,5 mm	25x25mm	White	190 gr/ m ²
1TMC030110	3 mm	30x30 mm	Black	200 gr/m ²
1TMC030210	3 mm	30x30 mm	White	200 gr/m ²
1TMC030710	3 mm	30x30 mm	Hemp	200 gr/m ²
1TMC045110	3 mm	45x45 mm	Black	120 gr/m ²
1TMC045210	3 mm	45x45 mm	White	120 gr/m ²
1TMC045610	3 mm	45x45 mm	Blue	120 gr/m ²
1TMC045710	3 mm	45x45 mm	Hemp	120 gr/m ²
1TMC100165	3 mm	100x100 mm	Black	55 gr/m ²
1TMC100265	3 mm	100x100 mm	White	55 gr/m ²

POLYPROPYLENE 4 et 5mm knotless


Material: Multi-filament polypropylene

Melting point: 118°

Anti UV treatment: Stabilisation by the Ciba-Ceigy process

Manufacturing: Knotless - square mesh

Finish: Overlock (bolt rope) 6mm polyethylene



REFERENCE	TYPE	MESH	COLOUR	WEIGHT
1TMC045540	4 mm	45x45 mm	Green	200 gr/m ²
1TMC045740	4 mm	45x45 mm	Hemp	200 gr/m ²
1TMC045160	5 mm	45x45 mm	Black	500 gr/m ²
1TMC045560	5 mm	45x45 mm	Green	500 gr/m ²
1TMC045660	5 mm	45x45 mm	Blue	500 gr/m ²
1TMC045760	5 mm	45x45 mm	Hemp	500 gr/m ²
1TMC100565	4 mm	100x100 mm	Green	100 gr/m ²

FIREPROOF SPECIAL DIN 4101-1




REFERENCE	TYPE	MESH	COLOUR	WEIGHT
1TMC045130	3 mm	45x45 mm	Black	120 gr/m ²
1TMC045230	3 mm	45x45 mm	White	120 gr/m ²
1TMC045330	3 mm	45x45 mm	Green	120 gr/m ²

FINITIONS

BALLASTING

REFERENCE	DESCRIPTION	COLOUR
1BAX080145	80mm polyethylene band finish with 200g/m ² ballasting	Black
1BAX080150	80mm polyester band finish with 200g/m ² ballasting	Black
1BAX080250	80mm polyester band finish with 200g/m ² ballasting	White
1BAX080345	80mm polyethylene band finish with 200g/m ² ballasting	Dark Green
1BAX080550	80mm polyethylene band finish with 200g/m ² ballasting	Light Green
1BAX100250	100mm polyester band finish with 400g/m ² ballasting	White
1BAX100150	100mm polyester band finish with 400g/m ² ballasting	Black



BAND + EYELETS EVERY 0.50CM

REFERENCE	DESCRIPTION	COLOUR
1BAX080175	80mm polyester band finish with eyelets every 50cm	Black
1BAX080275	80mm polyester band finish with eyelets every 50cm	White
1BAX080375	80mm polyethylene band finish with eyelets every 50cm	Dark Green



OPTIONS : POSSIBLE EVERY 0.20CM AND 0.30CM

BOLT ROPE

REFERENCE	DESCRIPTION	COLOUR
1BAX050200	4mm polyethylene overlocked bolt rope finish	White
1BAX040100	4mm polyethylene overlocked bolt rope finish	Black
1RAX006150	6mm polyethylene overlocked bolt rope finish	Black
1BAX080100	8mm polyethylene overlocked bolt rope finish	Black
1BAX080200	8mm polyethylene overlocked bolt rope finish	White
1BAX100200	10mm polyethylene overlocked bolt rope finish	White





SPORTS NETTING

- **FOOTBALL** p.14
 - 11-a-side game
 - 7-a-side game
 - 5-a-side game
- **HAND-BALL** p.19
- **HOCKEY** p.21
- **BADMINTON** p.21
- **PETECA** p.21
- **TENNIS** p.22
- **VOLLEY-BALL** p.23
- **BASKET** p.24
- **SKIPPING ROPES** p.24

FOOTBALL / 11-a-side game / polyéthylène

Material: Fireproof high-density polyethylene (HDPE)

Melting point: 130°


Anti UV treatment: Stabilisation by the process Ciba-Ceigy at 320 KLY

Packed in pairs




REFERENCE	MESH	COLOUR	THICKNESS	TYPE	DIMENSION
5TNF120150	120x120 mm	Black	3 mm	Braided	7,50x2,50x2x2 m
5TNF120250	120x120 mm	White	3 mm	Braided	7,50x2,50x2x2 m
5TNF120550	120x120 mm	Light Green	3 mm	Braided	7,50x2,50x2x2 m
5TNF120185	120x120 mm	Black	4 mm	Braided	7,50x2,50x2x2 m
5TNF120285	120x120 mm	White	4 mm	Braided	7,50x2,50x2x2 m
5TNF120585	120x120 mm	Light Green	4 mm	Braided	7,50x2,50x2x2 m
5TNF145150	145x145 mm	Black	3 mm	Braided	7,50x2,50x2x2 m
5TNF145250	145x145 mm	White	3 mm	Braided	7,50x2,50x2x2 m
5TNF145550	145x145 mm	Light Green	3 mm	Braided	7,50x2,50x2x2 m
5CNF145130	145x145 mm	Black	2x2	Twisted double mesh	7,50x2,50x2x2 m
5TNF120152	120x120 mm	Black	3 mm	Braided	7,50x2,50x1x2 m
5TNF120190	120x120 mm	Black	4 mm	Braided	7,50x2,50x1x2 m
5TNF120190	120x120 mm	Black	4 mm	Braided	7,50x2,50x0,80x2,10 m
5CNF130150	130x130 mm	Black	2 mm	Twisted	7,50x2,50x1x2 m
5CNF145122	145x145 mm	Black	2 mm	Twisted	7,50x2,50x1x2 m
5TNF145152	145x145 mm	Black	3 mm	Braided	7,50x2,50x1x2 m


SIZING OF FOOTBALL NETS



EUROPEAN MODEL
AxBxCxC



TRAPEZOIDAL MODEL
AxBxCxD



MODEL WITH OFFSET
AxBxCxPrhD*

*Prh=HIGH DEPTH




FOOTBALL / 11-a-side game / polypropylène

Material: Knotless multi-filament polypropylene

Melting point: 118°

Anti UV treatment: Stabilisation by the process Ciba-Ceigy at 320 KLY

Packed in pairs



REFERENCE	MESH	COLOUR	THICKNESS	TYPE	DIMENSION see p14
5TMF120150	120x120 mm	Black	3 mm	Knotless	7,50x2,50x2x2 m
5TMF120152	120x120 mm	Black	3 mm	Knotless	7,50x2,50x1x2 m
5TMF120180	120x120 mm	Black	4 mm	Knotless	7,50x2,50x2x2 m
5TMF120250	120x120 mm	White	3 mm	Knotless	7,50x2,50x2x2 m
5TMF120252	120x120 mm	White	3 mm	Knotless	7,50x2,50x1x2 m
5TMF120251	120x120 mm	White	3 mm	Knotless	7,50x2,50x0,80x1,50 m
5TMF120280	120x120 mm	White	4 mm	Knotless	7,50x2,50x2x2 m
5TMF120265	120x120 mm	White	3,5 mm	Knotless	7,50x2,50x2x2 m
5TMF120550	120x120 mm	Green	3 mm	Knotless	7,50x2,50x2x2 m
5TMF120552	120x120 mm	Green	3 mm	Knotless	7,50x2,50x1x2 m
5TMF120580	120x120 mm	Green	4 mm	Knotless	7,50x2,50x2x2 m
5TMF120680	120x120 mm	Blue	4 mm	Knotless	7,50x2,50x2x2 m

KNOTLESS 'HONEYCOMB' TYPE DIAMOND MESH

5TMF120295	120x120 mm	White	4 mm	Knotless	7,50x2,50x2x2 m
------------	------------	-------	------	----------	-----------------


FOOTBALL / 11-a-side game / Bi-colour polypropylene

Material: Knotless multi-filament polypropylene

Melting point: 118°

Anti UV treatment: Stabilisation by the process Ciba-Ceigy at 320 KLY

Packed in pairs



REFERENCE	MESH	COLOUR	THICKNESS	TYPE	DIMENSION see p14
5TMF120080	120x120 mm	Green/White	4 mm	Knotless	7,50x2,50x2x2 m
5TMF120077	120x120 mm	Green/White	4 mm	Knotless	7,50x2,50x0,80x2 m
5TMF120085	120x120 mm	Blue/White	4 mm	Knotless	7,50x2,50x2x2 m
5TMF120082	120x120 mm	Blue/White	4 mm	Knotless	7,50x2,50x0,80x2 m
5TMF120070	120x120 mm	Black/White	4 mm	Knotless	7,50x2,50x2x2 m
5TMF120071	120x120 mm	Black/White	4 mm	Knotless	7,50x2,50x0,80x2 m
5TMF120075	120x120 mm	Black/Yellow	4 mm	Knotless	7,50x2,50x2x2 m
5TMF120072	120x120 mm	Black/Yellow	4 mm	Knotless	7,50x2,50x0,80x2 m
5TMF120045	120x120 mm	Black/Orange	4 mm	Knotless	7,50x2,50x2x2 m
5TMF120055	120x120 mm	Black/Red	4 mm	Knotless	7,50x2,50x2x2 m
5TMF120057	120x120 mm	Black/Red	4 mm	Knotless	7,50x2,50x0,80x2 m
5TMF120065	120x120 mm	Red/White	4 mm	Knotless	7,50x2,50x2x2 m
5TMF120067	120x120 mm	Red/White	4 mm	Knotless	7,50x2,50x0,80x2 m

KNOTLESS 'HONEYCOOMB' TYPE DIAMOND MESH

5TMF120090	120x120 mm	Blue/White	4 mm	Knotless	7,50x2,50x2x2 m
5TMF120093	120x120 mm	Black/White	4 mm	Knotless	7,50x2,50x2x2 m
5TMF120095	120x120 mm	Red/White	4 mm	Knotless	7,50x2,50x2x2 m
5TMF120098	120x120 mm	Green/White	4 mm	Knotless	7,50x2,50x2x2 m

FOOTBALL / 7-a-side game / Bi-colour polypropylene

Material: Waterproof high-density polyethylene (HDPE)

Melting point: 130°

Anti UV treatment: Stabilisation by the process Ciba-Ceigy at 320 KLY


Packed in pairs



REFERENCE	MESH	COLOUR	THICKNESS	TYPE	DIMENSION see p14
5TMF120035	120x120 mm	Green/White	4 mm	Knotless	6,10x2,10x1x1,50 m

FOOTBALL / 7-a-side game / polyethylene**Material:** Waterproof high-density polyethylene (HDPE)**Melting point:** 130°**Anti UV treatment:** Stabilisation by the process Ciba-Ceigy at 320 KLY

Packed in pairs




REFERENCE	MESH	COLOUR	THICKNESS	TYPE	DIMENSION see p14
5CNF120115	120x120 mm	Black	2,5 mm	Twisted	6,10x2,10x0,80x1,80 m
5TNF120100	120x120 mm	Black	3 mm	Braided	6,10x2,10x0,80x1,50 m
5TNF120110	120x120 mm	Black	3 mm	Braided	6,10x2,10x1x2,10 m
5TNF120125	120x120 mm	Black	4 mm	Braided	6,10x2,10x0,80x1,80 m
5CNF145120	145x145 mm	Black	2 mm	Twisted	6,10x2,10x0,80x2 m
5CNF145100	145x145 mm	Black	2 mm	Twisted	6,10x2,10x0,80x1,50 m
5TNF145110	145x145 mm	Black	3 mm	Braided	6,10x2,10x1x2 m
5CNF145110	145x145 mm	Black	2x2	Twisted double mesh	6,10x2,10x0,60x1,70 m

OFFSET WITH REAR LIFT see p14

5TNF120102	120x120 mm	Black	3 mm	Braided	6,10x2,10x2,50xPRH1 m
5TNF120104	120x120 mm	Black	3 mm	Braided	6,10x2,10x3,50xPRH1 m
5TNF145105	145x145 mm	Black	3 mm	Braided	6,10x2,10x2,50xPRH1 m
5TNF145107	145x145 mm	Black	3 mm	Braided	6,10x2,10x3,50xPRH1 m

FOOTBALL / 7-a-side game / polypropylene**Material:** Knotless multi-filament polypropylene**Melting point:** 118°**Anti UV treatment:** Stabilisation by the process Ciba-Ceigy at 320 KLY

Packed in pairs



REFERENCE	MESH	COLOUR	THICKNESS	TYPE	DIMENSION see p14
5TMF120100	120x120 mm	Black	3 mm	Knotless	6,10x2,10x0,80x1,80 m
5TMF120500	120x120 mm	Green	3 mm	Knotless	6,10x2,10x0,80x1,80 m

EUROPEAN MODEL

5TMF120290	120x120 mm	White	4 mm	Knotless	6,10x2,10x1,50x1,50 m
------------	------------	-------	------	----------	-----------------------



FOOTBALL / 5-a-side game / polypropylene

Material: Knotless multi-filament polypropylene

Melting point: 118°

Anti UV treatment: Stabilisation by the process Ciba-Ceigy at 320 KLY

Packed in pairs



REFERENCE	MESH	COLOUR	THICKNESS	TYPE	DIMENSION see p14
1TMW100203	100X100 mm	White	3 mm	Knotless	3x1x0,40x0,80 n
5TMF120220	120x120 mm	White	3 mm	Knotless	5x2x1x1 m
5TMF120226	120x120 mm	White	4 mm	Knotless	5x2x0,80x1,50 m
5TMF120515	120x120 mm	Green	3 mm	Knotless	5x2x0,80x1,50 m
5TMF120520	120x120 mm	Green	3 mm	Knotless	5x2x0,95x1,25 m





FOOTBALL / 5-a-side game / Bi-colour polypropylene

Material: Knotless multi-filament polypropylene

Melting point: 118°

Anti UV treatment: Stabilisation by the process Ciba-Ceigy at 320 KLY

Packed in pairs



REFERENCE	MESH	COLOUR	THICKNESS	TYPE	DIMENSION see p14
5TMF120030	120x120 mm	Green/White	4 mm	Knotless	5x2x0,80x1,50 m
5TMF120040	120x120 mm	Black/White	4 mm	Knotless	5x2x0,80x1,50 m
5TMF120050	120x120 mm	Blue/White	4 mm	Knotless	5x2x1x1 m
5TMF120053	120x120 mm	Blue/White	4 mm	Knotless	5x2x0,80x1,50 m
5TMF120060	120x120 mm	Red/White	4 mm	Knotless	5x2x1x1 m
5TMF120063	120x120 mm	Red/White	4 mm	Knotless	5x2x0,80x1,50 m
5TMF120066	120x120 mm	Black/Yellow	4 mm	Knotless	5x2x1x1 m


MINI-FOOTBALL polypropylene

Material: Knotless multi-filament polypropylene

Melting point: 118°

Anti UV treatment: Stabilisation by the process Ciba-Ceigy at 320 KLY

Packed in pairs



REFERENCE	MESH	COLOUR	THICKNESS	TYPE	DIMENSION see p14
5TMF050589	50x50 mm	Green	3 mm	Knotless	1,20x0,80x0,70x0,70 m
5TMF050593	50x50 mm	Green	3 mm	Knotless	1,80x1,20x0,70x0,70 m
5TMF100589	100x100 mm	Green	3 mm	Knotless	1,20x0,80x0,70x0,70 m
5TMF100593	100x100 mm	Green	3 mm	Knotless	1,80x1,20x0,70x0,70 m
5TMF100595	100x100 mm	Green	3 mm	Knotless	2,40x1,60x1x1 m
5TMF100585	100x100 mm	Green	3 mm	Knotless	1.20x0.90x0x0.60 m

FOOTBALL accessories

REFERENCE	DESCRIPTION
5ACG025010	Galvanised steel peg
1ACW060140	Shock cord black football net + hooks - 1m
1ACW060150	Shock cord black football net + hooks - 5m




HAND BALL polyethylene

Material: Waterproof high-density polyethylene (HDPE)

Melting point: 130°

Anti UV treatment: Stabilisation by the process Ciba-Ceigy at 320 KLY

Packed in pairs



REFERENCE	MESH	COLOUR	THICKNESS	TYPE	DIMENSION
5CNF100100	100x100 mm	Black	2,5 mm	Twisted	3,10x2,10x1x1 m
5TNF100150	100x100 mm	Black	3 mm	Braided	3,10x2,10x1x1 m
5TNF100175	100x100 mm	Black	4 mm	Braided	3,10x2,10x1x1 m
5TNF100275	100x100 mm	White	4 mm	Braided	3,10x2,10x1x1 m
5TNF100575	100x100 mm	Green	4 mm	Braided	3,10x2,10x1x1 m
5TNF100675	100x100 mm	Blue	4 mm	Braided	3,10x2,10x1x1 m
5TNF100975	100x100 mm	Yellow	4 mm	Braided	3,10x2,10x1x1 m
5CNF100110	100x100 mm	Black	2x2	Twisted double mesh	3,10x2,10x1x1 m

HAND BALL polypropylene

Material: Knotless multi-filament polypropylene

Melting point: 118°

Anti UV treatment: Stabilisation by the process Ciba-Ceigy at 320 KLY

Packed in pairs



REFERENCE	MESH	COLOUR	THICKNESS	TYPE	DIMENSION
5TMF100150	100x100 mm	Black	3 mm	Knotless	3x2x1x1 m
5TMF100175	100x100 mm	Black	4 mm	Knotless	3x2x1x1 m
5TMF100250	100x100 mm	White	3 mm	Knotless	3x2x1x1 m
5TMF100275	100x100 mm	White	4 mm	Knotless	3x2x1x1 m
5TMF100285	100x100 mm	White	5 mm	Knotless	3x2x1x1 m
5TMF100288	100x100 mm	White	5 mm	Knotless	3x2x0,80x1 m
5TMF100550	100x100 mm	Green	3 mm	Knotless	3x2x1x1 m
5TMF100575	100x100 mm	Green	4 mm	Knotless	3x2x1x1 m
5TMF100578	100x100 mm	Green	4 mm	Knotless	3x2x0,80x1 m
5TMF100588	100x100 mm	Green	5 mm	Knotless	3x2x0,80x1 m
5TMF100675	100x100 mm	Blue	4 mm	Knotless	3x2x0,80x1 m
5TMF100685	100x100 mm	Blue	5 mm	Knotless	3x2x1x1 m

SHOCK ABSORBING HANDBALL NET

REFERENCE	MESH	COLOUR	THICKNESS	TYPE	DIMENSION
5TMF100180	100x100 mm	Black	4 mm	Knotless	3x2 m
5TMF100580	100x100 mm	Green	4 mm	Knotless	3x2 m
5TMF100280	100x100 mm	White	4 mm	Knotless	3x2 m
5TMF100683	100x100 mm	Blue	5 mm	Knotless	3x2 m

SHOCK ABSORBING NET OPTION

DESIGNATION

Band finish + ballasting + shock cord

MINI HANDBALL NET

REFERENCE	MESH	COLOUR	THICKNESS	TYPE	DIMENSION
5TMF100525	100x100 mm	Green	3 mm	Knotless	2,40x1,70x0,90x0,90 m

HANDBALL / HOCKEY polypropylene

REFERENCE	MESH	COLOUR	THICKNESS	TYPE	DIMENSION
5TMF045240	45x45 mm	White	4 mm	Knotless	3,60x2,14x0,80x1,20 m
5TMF045250	45x45 mm	White	4 mm	Knotless	3,60x2,14x0,80x1,30 m
5TMF045220	45x45 mm	White	3 mm	Knotless	3x2x0,80x1 m
5TMF045230	45x45 mm	White	4 mm	Knotless	3x2x0,80x1 m
5TMF045560	45x45 mm	Green	5 mm	Knotless	3,60x2,14x0,80x1,20 m
5TMF045330	45x45 mm	Green	4 mm	Knotless	3x2x0,80x1 m
5TMF045340	45x45 mm	Green	5 mm	Knotless	3x2x0,80x1 m

BADMINTON

REFERENCE	MESH	COLOUR	THICKNESS	DESCRIPTION
5CNF025131	25x25 mm	Black	1,2 mm	<ul style="list-style-type: none"> Twisted polyethylene White PVC 50mm top band 50mm 2 sides PVC band finish Bottom side spliced cord 2mm polyethylene tension cord, length 8m Dim. 6,10x0,76 m
5TMF019131	19x19 mm	Black	1,2 mm	<ul style="list-style-type: none"> Knotless twisted polypropylene White polyester 50mm top band 3 sides polyester band finish 30mm 3mm polyester tension cord, length 8m Dim. 6,10x0,76 m
1CNW019160	19x19 mm	Black	1,2 mm	<ul style="list-style-type: none"> Polyamide 5mm Kevlar tension cord, length 8m Length 6,10 m
1CNW019100	19x19 mm	Noir	1,2 mm	<ul style="list-style-type: none"> Polyamide White top band 76mm Polyester tension cord Fiberglass tension rods Length 6,10 m

PETECA

REFERENCE	MESH	COLOUR	THICKNESS	MATERIAL	DIMENSIONS
1CNW025950	25x25 mm	Yellow	2 mm	Nylon	8 x 0,60 m

TENNIS

Material: Waterproof high-density polyethylene (HDPE) or knotless multi-filament polypropylene

Point de fusion : 130° - Anti UV Treatment

Dimensions : 12,80 x 1,08 m



REFERENCE	MESH	COLOUR	THICKNESS	DESCRIPTION
5CNF048100	45x45 mm	Black	2,5 mm	<ul style="list-style-type: none"> Twisted knotted polyethylene White polyester 100mm top band 3 sides band finish 4/6mm galvanised steel tension cable
5TNF045120	45x45 mm	Black	3 mm	<ul style="list-style-type: none"> Braided knotted polyethylene White polyester 120mm top band 3 sides band finish Double mesh from top to bottom 4/6mm galvanised steel tension cable
5TNF045100	45x45 mm	Black	3,5 mm	<ul style="list-style-type: none"> Braided knotted polyethylene White polyester 120mm top band 3 sides with 6mm bolt rope finish 4/6mm galvanised steel tension cable
5TNF045155	45x45 mm	Black	3,5 mm	<ul style="list-style-type: none"> Braided knotted polyethylene White polyester 120mm top band 3 sides band finish 4/6mm galvanised steel tension cable
5TMF045175	45x45 mm	Black	4 mm	<ul style="list-style-type: none"> Knotless multi-filament polypropylene White polyester 100mm top band 3 sides polypropylene 80mm black band finish 4/6mm galvanised steel tension cable
5TNF045130	45x45 mm	Black	3 mm	<ul style="list-style-type: none"> 6 double mesh braided polyethylene 4/6mm galvanised steel tension cable

TENNIS tarpaulin

REFERENCE	DESCRIPTION	COLOUR	DIM.
5ASE650318	PVC band 650g/m ² + eyelets every 50cm on 3 sides	Green	0,75x18 m
5ETF200312	Light band 200g/m ² + velcro eyelets	Green/Black	18x18 m
5ETF200330	Light band 200g/m ² + velcro eyelets	Green	17,8x17,8 m
5ETF200320	Light band 200g/m ² + velcro eyelets	Green	20x20 m

TENNIS accessories

REFERENCE	DESCRIPTION
5ASD000001	Polyester center strap + buckle
5ASD000010	PVC center strap + buckle
5ACF120150	Black PE bag 120x25 for ballasting
5ASD000300	PVC netting replacement band
9ASD900750	Special single drag net 2x1.12m



VOLLEYBALL

Material: Waterproof high-density polyethylene (HDPE) or knotless multi-filament polypropylene

Point de fusion : 130° - Anti UV Treatment

Dimensions : 9,50 x 1m



REFERENCE	MESH	COLOUR	THICKNESS	DESCRIPTION
5CNF100175	100x100 mm	Black	2,5 mm	<ul style="list-style-type: none"> ▪ Twisted knotted polyethylene ▪ White polyester 100mm top band ▪ 3 sides polyethylene band finish ▪ 4mm long steel tension cable 12m
5CNF100185	100x100 mm	Black	2,5 mm	<ul style="list-style-type: none"> ▪ Twisted knotted polyethylene ▪ White polyester 100mm top band ▪ 3 sides polyester band finish ▪ 6mm polyester tension cord, length 12m
5CNF100165	100x100 mm	Black	2,5 mm	<ul style="list-style-type: none"> ▪ Wierd knotted polyethylene ▪ White polyester 80mm top band ▪ 3 sides 3mm bolt rope finish ▪ 4mm steel tension cable, length 12m
5CNF100150	100x100 mm	Black	2,5 mm	<ul style="list-style-type: none"> ▪ Dimension 9x0,90 m ▪ Twisted knotted polyethylene ▪ White polyester 80mm top band ▪ 3 sides polyethylene band finish ▪ Tension cord
1TNW100196	100x100 mm	Black	3,5 mm	<ul style="list-style-type: none"> ▪ Braided knotted polyethylene ▪ White polyester 100mm top band ▪ Polypropylene band + fiberglass robs on the sides ▪ 3/5mm steel tension cable, length 12m
1TMW100960	100x100 mm	Black	3 mm	<ul style="list-style-type: none"> ▪ Knotless polypropylene ▪ White polyester 100mm top band ▪ 3 sides polypropylene band finish + framing rods ▪ 6mm Kevlar tension cable, length 12m
1TMW100164	100x100 mm	Black	3 mm	<ul style="list-style-type: none"> ▪ Knotless polypropylene ▪ White polyester 100mm top band ▪ Finished with a bolt rope on the bottom ▪ 4mm long steel tension cable
1TMW1011..	100x100 mm	Black	3 mm	<ul style="list-style-type: none"> ▪ Knotless polypropylene ▪ White polyester 100mm top band ▪ 3 sides polypropylene band finish ▪ 4mm galvanised steel tension cable ▪ Tension bar on the sides
1TMW100987	100x100 mm	Black	3 mm	<ul style="list-style-type: none"> ▪ Knotless polypropylene ▪ White polyester 100mm top band ▪ 3 sides polypropylène band finish ▪ FIVB - 9,50 x 1m + câble + fiberglass rods



FCBA 2207100

VOLLEYBALL accessories

REFERENCE	DESCRIPTION
5ASD001000	Volleyball fiberglass antenna set
5ASD001010	Antenna band holder



BASKET



REFERENCE	MESH	COLOUR	THICKNESS	DESCRIPTION
5TNF045275	45x45 mm	White	3 mm	Polypropylene
5TNF045295	45x45 mm	White	6 mm	High tenacity nylon
5TNF045298	45x45 mm	White	8 mm	Polypropylene anti-whip net
5TNF045375	45x45 mm	Blue, white and red	3 mm	Three-coloured basket net

SKIPPING ROPE Polypropylene

Material: Polypropylene
Thickness: 8 mm



REFERENCE	COLOUR	LENGTH
5COD080383	Green	2 m
5COD080385	Green	2,5 m
5COD080387	Green	3 m
5COD080483	Red	2 m
5COD080485	Red	2,5 m
5COD080487	Red	3 m
5COD080683	Blue	2 m
5COD080685	Blue	2,5 m
5COD080687	Blue	3 m
5COD080690	Blue	5 m
5COD080983	Yellow	2 m
5COD080985	Yellow	2,5 m
5COD080987	Yellow	3 m

ARCHERY

REFERENCE	MESH	COLOUR	THICKNESS	DESCRIPTION
5TNF045275	45x45 mm	White	3 mm	Polypropylene

BALLS



• **BALLS**
Football
Beach/Handball
VolleyBall

p.26

FOOTBALL

Type: TRIAL Football

Manufacturing: Soft and resistant covering

Packing: Individual package or box of 40 pieces



REFERENCE	DIAMETER	COLOUR	WEIGHT	DESCRIPTION
9ASD800350	20 cm	Silver	320 g	Street TRIAL Ultima 41-1 - Size 4
9ASD800355	19,9 cm	Yellow	380 g	Hall TRIAL Ultima 46-2 - 3 layers - Low rebound - Size 4
9ASD800360	22 cm	Blue	260 g	Super soft Trial BF40 - Brand TRIAL

BEACH/HANDBALL BALL

Type: TRIAL beach handball ball

Manufacturing: Soft and resistant covering

Packing: Individual package or box of 40 pieces



REFERENCE	DIAMETER	COLOUR	WEIGHT	DESCRIPTION
9ASD800365	16,5 cm	Green	290 g	TRIAL Ultima 36-3 - 3 layers - Triangle structure - IHF approved
9ASD800370	15,5 cm	Red	250 g	TRIAL Ultima 35 - 3 layers

VOLLEYBALL BALL

Type: TRIAL volleyball ball

Manufacturing: Soft and resistant covering

Packing: Individual package or box of 40 pieces



REFERENCE	DIAMETER	COLOUR	WEIGHT	DESCRIPTION
9ASD800375	24 cm	Pink	200 g	BV15 - super flexible - super soft - FIVB approved
9ASD800380	21 cm	Pink	220 g	BV20 - super flexible - super soft - FIVB approved

GAME BALL

Type: TRIAL game ball

Manufacturing: Blowing foam BA2 - Soft and resistant covering BA3

Packing: Individual package or box of 40 pieces



REFERENCE	DIAMETER	COLOUR	WEIGHT	DESCRIPTION
9ASD800385	18 cm	Pink	200 g	BA2 - super flexible
9ASD800390	24 cm	Pink	200 g	BA3 - super flexible

WINDBREAK / PRIVACY NETTING



- **PRIVACY NETTING** p.28

- blockage 45%

- blockage 75%

- blockage 92%

- blockage 95%

- blockage 100%

- **WINDBREAK NETTING** p.30

- blockage 50%

- blockage 65%

- blockage 75%

- blockage 85%


PRIVACY NETTING 45% blockage

Type: 100% strips knitted net

Material: Waterproof high-density polyethylene (HDPE)

Finish: Band and eyelets every 50cm

Width and length when cut. The widths shown below are invoice widths.



REFERENCE	COLOUR	WEIGHT	DESCRIPTION
1SPF090350	Green/Black	90 gr/m ²	Width 2m - Length when cut
1SPF090355	Green/Black	90 gr/m ²	Width 3m - Length when cut
1SPF090380	Green/Black	90 gr/m ²	Width 4m - Length when cut



PRIVACY NETTING 75% blockage

Type: 100% strips knitted net

Material: Waterproof high-density polyethylene (HDPE)

Finish: Band and eyelets every 50cm

Width and length when cut. The widths shown below are invoice widths.



REFERENCE	COLOUR	WEIGHT	DESCRIPTION
1SPF125235	White	125 gr/m ²	Width 1.50m - Length when cut
1SPF125250	White	125 gr/m ²	Width 2m - Length when cut
1SPF145335	Green/Black	145 gr/m ²	Width 1.50m - Length when cut
1SPF145350	Green/Black	145 gr/m ²	Width 2 m - Length when cut
1SPF145370	Green/Noir	145 gr/m ²	Width 3m - Length when cut



**ON REQUEST :
RAW NETS
WITHOUT FINISH**


PRIVACY NETTING 92% blockage

Type: 100% knitted monofilament net and strips

Material: Waterproof high-density polyethylene (HDPE)

Finish: Band and eyelets every 50cm

Width and length when cut. The widths shown below are invoice widths depending on stock.



Bands and eyelets finish

REFERENCE	COLOUR	WEIGHT	DESCRIPTION
1SPF185335	Dark Green	185 gr/m ²	Width 1.50m - Length when cut
1SPF185350	Dark Green	185 gr/m ²	Width 2m - Length when cut
1SPF185370 	Dark Green	185 gr/m ²	Width 3m - Length when cut
1SPF185135	Black	185 gr/m ²	Width 1.50m - Length when cut
1SPF185150	Black	185 gr/m ²	Width 2m - Length when cut
1SPF185835	Dark Grey	185 gr/m ²	Width 1.50m - Length when cut
1SPF185845	Dark Grey	185 gr/m ²	Width 1.80m - Length when cut
1SPF185850	Dark Grey	185 gr/m ²	Width 2m - Length when cut
1SPF185855	Light Grey	185 gr/m ²	Width 2m - Length when cut
1SPF185550	Light Green	185 gr/m ²	Width 2m - Length when cut
1SPF185050	Brown	185 gr/m ²	Width 2m - Length when cut
1SPF185250	White	185 gr/m ²	Width 2m - Length when cut
1SPF185735	Ivory	185 gr/m ²	Width 1.50m - Length when cut
1SPF185750	Ivory	185 gr/m ²	Width 2m - Length when cut



FCBA 2207100

OFG label for the dark green 92% privacy netting for an area of less than 5m²

PRIVACY NETTING 95% blockage

Type: 100% strips knitted net

Material: Waterproof high-density polyethylene (HDPE)

Finish: Band and eyelets every 50cm

Width and length when cut. The widths shown below are invoice widths.



REFERENCE	COLOUR	WEIGHT	DESCRIPTION
1SPF220235	White	220 gr/m ²	Width 2m - Length when cut
1SPF220250	White	220 gr/m ²	Width 1.50m - Length when cut



PRIVACY NETTING 100% blockage

Type: 100% strips knitted net

Material: Waterproof high-density polyethylene (HDPE)

Finish: Band and eyelets every 50cm

Width and length when cut. The widths shown below are invoice widths.



REFERENCE	COLOUR	WIEGHT	DESCRIPTION
1SPF300335	Green/Black	280 gr/m ²	Width 1.50m - Length when cut
1SPF300350	Green/Black	280 gr/m ²	Width 2m - Length when cut
1SPF300370	Green/Black	280 gr/m ²	Width 3m - Length when cut
1SPF300850	Grey	280 gr/m ²	Width 2m - Length when cut
1SPF300748	Ivory	280 gr/m ²	Width 1.50m - Length when cut
1SPF300749	Ivory	280 gr/m ²	Width 2m - Length when cut



WINDBREAK NETTING 50% blockage

Type: 100% knitted monofilament net

Material: Waterproof high-density polyethylene (HDPE)

Finish: Band and eyelets every 50cm

Width and length when cut. The widths shown below are invoice widths.



REFERENCE	COLOUR	WEIGHT	DESCRIPTION
1SMF106220	White	100 gr/m ²	Width 2m - Length when cut
1SMF106230	White	100 gr/m ²	Width 3m - Length when cut
1SMF106240	White	100 gr/m ²	Width 4m - Length when cut
1SMF106320	Dark Green	100 gr/m ²	Width 2m - Length when cut
1SMF106325	Dark Green	100 gr/m	Width 2.5m - Length when cut
1SMF106330	Dark Green	100 gr/m	Width 3m - Length when cut
1SMF106340	Dark Green	100 gr/m ²	Width 4m - Length when cut



WINDBREAK NETTING 65% blockage

Type: 100% knitted monofilament net

Material: Waterproof high-density polyethylene (HDPE)

Finish: Band and eyelets every 50cm

Width and length when cut. The widths shown below are invoice widths.



REFERENCE	COLOUR	WEIGHT	DESCRIPTION
1SMF165150	Black	150 gr/m ²	Width 2m - Length when cut
1SMF165180	Black	150 gr/m ²	Width 3m - Length when cut
1SMF165197	Black	150 gr/m ²	Width 3.60m - Length when cut
1SMF165198	Black	150 gr/m ²	Width 4m - Length when cut
1SMF165350	Dark Green	150 gr/m ²	Width 2m - Length when cut
1SMF165395 	Dark Green	150 gr/m ²	Width 3m - Length when cut
1SMF165397	Dark Green	150 gr/m ²	Width 3.60m - Length when cut
1SMF165398	Dark Green	150 gr/m ²	Width 4m - Length when cut



OFG label for the dark green 65% windbreak netting for an area of less than 8m²


WINDBREAK NETTING 75% blockage

Type: 100% knitted monofilament net

Material: Waterproof high-density polyethylene (HDPE)

Finish: Band and eyelets every 50cm

Width and length when cut. The widths shown below are invoice widths.



REFERENCE	COLOUR	WEIGHT	DESCRIPTION
1SMF185362	Dark Green	185 gr/m ²	Width 2.0m - Length when cut

WINDBREAK NETTING 85% blockage

Type: 100% knitted monofilament net

Material: Waterproof high-density polyethylene (HDPE)

Finish: Band and eyelets every 50cm

Width and length when cut. The widths shown below are invoice widths.



REFERENCE	COLOUR	WEIGHT	DESCRIPTION
1SMF240395	Dark Green	240 gr/m ²	Width 3.60m - Length when cut

DUMP TRUCK

- DUMP TRUCK

p.34

Standard
Made-to-measure




DUMP TRUCK

DUMP TRUCK

Type: 100% knitted monofilament net

Material: Waterproof high-density polyethylene (HDPE)

Finish: Green band and eyelets every 50cm



MADE-TO-MEASURE

REFERENCE	COLOUR	WEIGHT	DESCRIPTION
1SMW1503..	Green	150 gr/m ²	Width 3.60m - Length when cut
1SMW1501..	Black	150 gr/m ²	Width 3.60m - Length when cut
1SMW1853..	Green/Black	185 gr/m ²	Width 3.60m - Length when cut
1SMW2403..	Green/Black	240 gr/m ²	Width 3.60m or 4m - Length when cut

STANDARD

REFERENCE	COLOUR	WEIGHT	DESCRIPTION
5SMF200140	Black	200 gr/m ²	3x4m + spliced shock cord
5SMF200155	Black	200 gr/m ²	3,50x5,50 m + spliced shock cord
5SMF200160	Black	200 gr/m ²	3,50x6 m + spliced shock cord
5SMF200165	Black	200 gr/m ²	3,50x6,50 m + spliced shock cord
5SMF200170	Black	200 gr/m ²	3,50x7 m + spliced shock cord
5SMF200175	Black	200 gr/m ²	3,50x7,50 m + spliced shock cord


CONSTRUCTION SITE BARRIER

Type: 100% knitted monofilament net and strips

Material: Waterproof high-density polyethylene (HDPE)

Privacy netting opacity: 92%

Finish: Band and eyelets every 50cm



REFERENCE	COLOUR	WEIGHT	DESCRIPTION
5SPF185330	Green/Black	185 gr/m ²	Dimension 3,41x1,76m
5SPF130330	White	130 gr/m ²	Dimension 3,41x1,76m

CONSTRUCTION SITE NETTING

- **SCAFFOLDING** p.36
 - 55g
 - 100g
 - 150g
- **SECURITY** p.37
- **MESH - TARPAULINS** p.38


SCAFFOLDING 55 gr/m²

Type: 100% knitted monofilament net

Material: Waterproof high-density polyethylene (HDPE)

Debris netting - Disposable type

Buttonholes on the side



REFERENCE	COLOUR	TYPE OF MESH	DIMENSIONS
On request	Green	Triangular	3x20 m and 3x100 m
On request	Blue	Triangular	3x20 m and 3x100 m
On request	White	Triangular	3x20 m and 3x100 m
On request	Green	Rectangular	3x20 m and 3x100 m
On request	Blue	Rectangular	3x20 m and 3x100 m
On request	White	Rectangular	3x20 m and 3x100 m


SCAFFOLDING 100 gr/m²

Type: 100% knitted monofilament net

Material: Waterproof high-density polyethylene (HDPE)

Debris netting - Disposable type

Buttonholes on the side



REFERENCE	COLOUR	TYPE OF MESH	DIMENSIONS
On request	Green	Triangular	3x20 m and 3x50 m
On request	White	Triangular	3x20 m and 3x50 m
On request	Green/Black	Rectangular	Length and width : to be defined according to stock
On request	White	Rectangular	Length and width : to be defined according to stock
On request	Blue	Rectangular	Length and width : to be defined according to stock


SCAFFOLDING 150 gr/m²

Type: 100% knitted monofilament net

Material: Waterproof high-density polyethylene (HDPE)

Debris netting - Industrial type

Buttonholes on the side



REFERENCE	COLOUR	TYPE OF MESH	DIMENSIONS
On request	Green	Triangular	3x50 m
On request	White	Triangular	3x50 m

SAFETY NETTING

Type: Anti-fall net 100mm or 50mm mesh ϕ of 4.75mm wire
Material: Polyamide
Finish: Bolt rope on the perimeter of 12mm
Standard: Compliant with NF EN 1263-1
Weight: 210g/m²



MADE-TO-MEASURE

REFERENCE	COLOUR	MESH	TYPE OF MESH	DIMENSIONS
5TNF050250	White	50mm	Rectangular	Width x Free length
5TNF100245	White	100mm	Rectangular	Width x Free length
5COF012250	White	ϕ 12 mm	Perimeter bolt rope	Width x Free length

STANDARD

REFERENCE	COLOUR	TYPE OF MESH	DIMENSIONS
5TNF100211	White	100mm	10m x 1m
5TNF100214	White	100mm	10m x 2m
5TNF100221	White	100mm	20m x 1m
5TNF100224	White	100mm	20m x 2m


REFERENCE	COLOUR	TYPE OF MESH	DIMENSIONS
5TNF100230	White	100mm	6m x 5m
5TNF100232	White	100mm	8m x 6m
5TNF100234	White	100mm	9m x 6m
5TNF100236	White	100mm	10m x 5m
5TNF100238	White	100mm	10m x 6m
5TNF100239	White	100mm	10m x 7m
5TNF100240	White	100mm	10m x 10m
5TNF100241	White	100mm	12m x 6m
5TNF100242	White	100mm	15m x 10m
5TNF100243	White	100mm	15m x 15m
5TNF100244	White	100mm	20m x 5m
5TNF100246	White	100mm	20m x 10m

TARPAULINS 650 gr/m² PRICE ON REQUEST

Material: PVC

Finish: row or bands and eyelets every 0.50m

Dimensions: free width and length



REFERENCE	COLOUR	WEIGHT	DIMENSIONS
On request	8 colours	650g/m ²	made-to-measure manufacture

MESH 260 gr/m² PRICE ON REQUEST

Material: PVC

Finish: row or bands and eyelets every 0.50m

Dimensions : free width and length



REFERENCE	COLOUR	WEIGHT	DIMENSIONS
On request	White	260g/m ²	Made-to-measure manufacture

A photograph of a tree with red apples covered in a black bird netting. The netting is stretched over the branches, protecting the fruit. The background is a lush green field.

BIRD NETTING

- ANTI-BIRD

p.40

- AVIARY

p.41



ANTI-BIRD

Material: Waterproof high-density polyethylene (HDPE)

Melting point: 130

Anti UV treatment: Stabilisation by the Ciba-Ceigy process at 320 KLY

Manufacturing: Knitted - diamond mesh



REFERENCE	MESH	COLOUR	WEIGHT	TYPE	DIMENSIONS
5TML015102	15x15 mm	Black	45 gr/m ²	2x0,30	5x5 m
5TML015103					5x10 m
5TML015109					10x10 m
5TML015110					10x20 m
5TML015170	15x15 mm	Black	45 gr/m ²	2x0,30	Width 5m - Length when cut
5TML015180					Width 6m - Length when cut
5TML022125	22x22 mm	Black	27 gr/m ²	2x0,28	5x5 m
5TML022135					10x10 m
5TML022190					10x20 m
5TML022130	22x22 mm	Black	27 gr/m ²	2x0,28	Width 4m - Length when cut
5TML022150					Width 6m - Length when cut
5TML022160					Width 8m - Length when cut
5TML022170					Width 10m - Length when cut
5TML022180					Width 12m - Length when cut
5TML022190					Width 20m - Length when cut
3TML035110	35x35 mm	Black	45 gr/m ²	4x0,30	5x10 m
3TML035110					10x10 m
3TML035120					10x20 m
3TML035120					20x20 m



AVIARY

Material: Waterproof high-density polyethylene (HDPE)


Melting point: 130°

Anti UV treatment: Stabilisation by the Ciba-Geigy process at 320 KLY

Manufacturing: Twisted knotted - diamond mesh



REFERENCE	MESH	COLOUR	WEIGHT	TYPE	DIMENSIONS
1CNC050...	50x50 mm	Black	70 gr/m ²	3x5x380d	14x10 m
1CNC050...					14x20 m
1CNC050...					21x10 m
1CNC050...					21x20 m
3CNL050115	50x50 mm	Black	70 gr/m ²	3x7x380d	Width 14m - Length when cut
3CNL050117					Width 21m - Length when cut
3CNL050119					Width 28m - Length when cut
3CNL050121					Width 32m - Length when cut
3CNL050123					Width 35m - Length when cut
3CNL050125					Width 42 m - Length when cut
Standard	60x60 mm	Black	27 gr/m ²	3x7x380d	5x12,7m
					10x12,7m
					20x12,7m
					25x20m
Made to measure	60x60 mm	Black	27 gr/m ²	3x5x380d Knotted-diamond	Width 6,35m - Length when cut Width 8,50m - Length when cut Width 10m - Length when cut Width 13m - Length when cut Width 17m - Length when cut Width 25m - Length when cut Width 38m - Length when cut Width 51m - Length when cut






TRAMPOLINE NETS FOR MULTIHULLS

• CATAMARAN NETS

p.44-46


MESH 13MM

Type: Trampoline net for multihulls
Material: High tenacity polyamide
Finish: Overlock on the perimeter
Melting point: 220°
Manufacturing: Knotless braided knotted - square mesh



MESH 30MM

Type: Trampoline net for multihulls
Material: Polyester
Finish: Overlock on the perimeter
Melting point: 220°
Manufacturing: Knotless braided knotted - square mesh




FINISH



Black bolt rope on beige



White bolt rope on white




White bolt rope on grey



Black bolt rope on grey

CATAMARAN NETTING

We make all the trampoline nets for your catamarans for which we have the manufacturing plans.



CATAMARAN NETTING





HOUSING NETTING

• MEZZANINE NETTING

p.48

MEZZANINE NET 13MM

Type: Interior living net for mezzanine


Material: High tenacity polyamide

Finish: Overlock on the perimeter

Melting point: 220°

Manufacturing: Knotless braided knotted - square mesh

Finish: Overlock (bolt rope) 4mm



REFERENCE	COLOUR	WEIGHT	DESCRIPTION
1TML013...	White-Black-Beige	700 gr/m ²	Made-to-measure width and length

MEZZANINE NET 30MM

Type: Interior living net for mezzanine

Material: polyester/polyamide, depending on the type of net

Finish: Overlock on the perimeter


Melting point: 220°

Manufacturing: Knotless braided knotted - square mesh




REFERENCE	COLOUR	WEIGHT	DESCRIPTION
1TMC030...	White-Grey Black-Beige	700 gr/m ²	Made-to-measure width and length





OUTSIDE
MEZZANINE NET





NET DYEING

NET DYEING

The process used is traditional. First, we heat water in which coloured powders have been diluted beforehand, and then the net is soaked for varying lengths of time depending on the desired effect.

The net is measured before and after the process. Only the polyamide fibre can be dyed.

The photos are not contractual. Indeed, given the PH of the water and the ambient humidity, there may be different shades.


In spite of all the care provided, it may happen that the net cannot be pigmented, especially in the interstices of meshes.

Please note that we do our utmost to ensure that the result is as aesthetically pleasing as possible, but that these problems are totally beyond our control.


It is important to know that if the quantity to be dyed exceeds 30kgs, then the dyeing will have to be done in two different baths, and here again, shades may differ between the baths.

We can also produce the black colour, and other more specific colours, however this request will be subject to special pricing and will require prior validation from us (colours and RAL below).


The durability of the colour depends on the exposure to UV rays, it is a surface dye and will in any case tend to fade over time. Do not use detergents on dyed netting.




Pearl grey / 7040




Telegrey / 7046




Charcoal grey / 7016




Canary Yellow / 1003




Skye blue / 5015




Royal blue / 5005




Navy blue / 5003




Water blue / 5021




Light green / 6027




Grass green / 6010




Pearl green / 6035




Pure orange / 2004




Light pink / 3015



Purple violet / 4007



Lavender / 4009




Traffic red / 3020




Light ivory / 1015



Beige / 1001




Olive brown / 8008



Chocolate brown / 8017



DIGITAL PRINTING



- **PRINTING ON NETTING**

WINDBREAK NETTING & PRIVACY NETTING

p.54

- **PRINTING ON TARPULINS**

p.55

- **PRINTING ON MESH**

p.55

PRINTING ON NETTING

CMYK four-colour digital printing

Finish: With or without buttonholes

Printing: logo or trompe l'oeil

Weight: 50g/m² and 150g/m²

Dimensions: Fixed width x free length

Support: White and green



REFERENCE	TYPE	WIDTH	WEIGHT
On request	Logo or trompe l'oeil printing on white net	2 m - 2.60 m - 3.10 m	50 g/m ²
On request	Logo or trompe l'oeil printing on white net	2 m - 3 m	150 g/m ²
On request	Logo or trompe l'oeil printing on green net	2 m	150 g/m ²

PRINTING ON PRIVACY NETTING

Black digital printing

Finish: Hem and eyelets every 0.50m

Printing: logo or trompe l'oeil

Weight: 140g/m²

Dimensions: Standard in 2m x 12m and 18m

2m fixed width x free length

Support: Blue and green



REFERENCE	TYPE	WIDTH	WEIGHT
On request	Logo printing in black on blue background	2m x 12m	140g/m ²
On request	Logo printing in black on green background	2m x 18m	140g/m ²
On request	Logo printing in black on green or blue background	2m x free length	140g/m ²

PRINTING ON NETTING

CMYK four-colour digital printing

Finish: Hem and eyelets every 0.50m

Printing: logo or trompe l'oeil

Weight: 270g/m²

Dimensions: Fixed width x free length



REFERENCE	TYPE	WIDTH	WEIGHT
On request	Logo printing	made-to-measure	270g/m ²
On request	Trompe l'oeil printing	made-to-measure	270g/m ²
On request	Kakemono mesh (10 pieces)	1,60m x 0,8 m	270g/m ²

PRINTING ON TARPAULINS


CMYK four-colour digital printing

Finish: Hem and eyelets every 0.50m

Printing: logo or trompe l'oeil

Weight: 510g/m²

Dimensions: Fixed width x free length



REFERENCE	TYPE	WIDTH	WEIGHT
On request	Logo printing	Free	510 g/m ²
On request	Trompe l'oeil printing	Free	510 g/m ²





OUR PRODUCTS



PRIVACY NETTING 92% blockage


OFG label for the 92% dark green screen for a surface of less than 5m²

Type: 100% monofilament knitted net and tapes

Material: Waterproof high-density polyethylene (HDPE)

Finish: Band and eyelets every 25cm

REFERENCE	COLOUR	WEIGHT	DESCRIPTION
1SPF185370	Dark Green	185 gr/m ²	Width 3m - Length when cut



Application: the windbreak net is fixed on a fence and allows a certain percentage of blockage depending on the type of net.

WINDBREAK NETTING 65%


OFG label for the dark green 65% windbreak netting for an area of less than 8m²

Type: 100% knitted monofilament net

Material: Waterproof high-density polyethylene (HDPE)

Finish: Band and eyelets every 25 cm

REFERENCE	COLOUR	WEIGH	DESCRIPTION
1SMF165395	Dark Green	150 gr/m ²	Width 3m - Length when cut



Application: the windbreak net is fixed on a fence and allows to make separations



FCBA 2207100

POLYETHYLENE 2.5 mm twisted

OFG label for the 145mm mesh in 2.5mm in green or black for a surface < 10m²

Material: Waterproof high-density polyethylene (HDPE)

Melting point: 130°

Anti UV treatment: Stabilisation by the Ciba-Ceigy process at 320 KLY

Manufacturing: Twisted knotted – square mesh

Titration: 3x12x600D

Finish: Overlock (bolt rope) 4mm polyethylene



REFERENCE	MESH	COLOUR	WEIGHT
1CNC145310	145x145 mm	Dark Green	43 gr/m ²
1CNC145110	145x145 mm	Black	43 gr/m ²



Application: Ball stop net is fixed on posts with ropes and PVC split ring. Ideal to protect from ball throws. The 145mm mesh is optimal for the protection of football fields.



NYLON twisted

OFG label for the 48mm mesh in 2mm in green, black or white for a surface < 5m²

Material: High tenacity polyamide

Melting point: 220°


Manufacturing: Twisted knotted - square mesh

Finish: Overlock (bolt rope) 4mm

REFERENCE	TYPE	MESH	COLOUR	WEIGHT
1CNC048305	2 mm	48x48 mm	Dark Green	142 gr/m ²
1CNC048105	2 mm	48x48 mm	Black	142 gr/m ²
1CNC048205	2 mm	48x48 mm	White	142 gr/m ²



Application: Indoor ball stop netting for room division. The material makes it flexible and easy to install.



VOLLEYBALL



FCBA 2207100


REFERENCE	MESH	COLOUR	THICKNESS	DESCRIPTION
1TMW100164	100x100 mm	Black	3 mm	<ul style="list-style-type: none"> ▪ Knotless polypropylene ▪ White polyester 100mm top band ▪ Finished with a bolt rope on the bottom ▪ 4mm long steel tension cable
1CNW100025	100X100 mm	Black	3 mm	<ul style="list-style-type: none"> ▪ Twisted polyethylene 25x0.40m + 2m shock cord in 4 corners

BADMINTON



REFERENCE	MESH	COLOUR	THICKNESS	DESCRIPTION
1CNW019160	19x19 mm	Black	1,2 mm	<ul style="list-style-type: none"> ▪ Polyamide ▪ 5mm Kevlar tension cord, length 8m ▪ Length 6,10m

FOOTBALL / 5-a-side game



REFERENCE	MESH	COLOUR	THICKNESS	TYPE	DIMENSION see p14
1TMW100203	100X100 mm	White	3 mm	Knotless - PPM	3x1x0.40x0.80 m
1CNW100134	100X100 mm	Black	2,5mm	Twisted knotted - PE	4.10x1.80x0x1.40m

PADDLE






REFERENCE	MESH	COLOUR	THICKNESS	DESCRIPTION
1CNW048187	48x48 mm	Black	2 mm	<ul style="list-style-type: none"> ▪ Twisted knotted polyethylene ▪ 3/5mm 10.90m wire 9.9x0.90m

INSTALLATION ACCESSORIES

- Privacy netting
- Wind-break netting
- Sports netting
- Ball stop netting
- Protective nets
- Dump truck nets

For BALL STOP NETTING,
WINDBREA/PRIVACY
NETTING, BIRD NETTING

WIRES




REFERENCE	COLOUR	DESCRIPTION
GALVANISED STEEL CABLE PLASTIC 4/6MM		
5CAP046700	Transparent	By a meter
5CAP046705	Transparent	1000m reel
5CAP046715	Transparent	500m reel
5CAP046100	Black	By a meter
5CAP046350	Green	By a meter
GALVANISED STEEL CABLE PLASTIC 4/5MM		
5CAP045305	Green	By a meter
GALVANISED STEEL CABLE PLASTIC 3/5MM		
5CAP035300	Green	By a meter
5CAP035305	Green	1000m reel
5CAP035315	Green	500m reel
5CAP035340	Green	250m reel
5CAP035350	Green	200m reel
5CAP035375	Green	100m reel
5CAP035390	Green	50m reel
5CAP035200	White	By a meter
5CAP035215	White	500m reel
5CAP035240	White	250m reel
5CAP035100	Black	By a meter
5CAP035115	Black	500m reel
5CAP035140	Black	250m reel
5CAP035700	Transparent	By a meter
5CAP035715	Transparent	500m reel
5CAP035805	Grey	By a meter
STAINLESS STEEL AND PLASTIC CABLE 3/5M		
5CAP035015	Green	By a meter
STAINLESS STEE CABLE		
5CAI040005	Stainless	4mm 7x7 (other diameters on request)
GALVANISED STEEL CABLE		
5CAG040005	Galvanised	4mm 7x7 (other diameters on request)

CABLES LAYING

DESIGNATION	INFORMATION	REFERENCE
Galvanised cable clamp	5 mm	5ACG005050
Galvanised cables clamp	6 mm	5ACG006050
Stainless cable clamp	5 mm	5ACI006050
Stainless cable clamp	6 mm	5ACI006060
Galvanised eye/eye turnbuckle	Type M8	5ACG008060
Galvanised eye/eye turnbuckle	Type M10	5ACG010060
Stainless steel eye/eye turnbuckle	Type M8 stainless steel 316 with rings	5ACI008060
Jaw & jaw turnbuckle - Zinc-plated stamped	Ø 10 mm - 470 Kg	5ACG010080
Galvanised wire tensioner NR4	Black colour	5ACG110110
Galvanised wire tensioner NR4	White colour	5ACG110210
Galvanised wire tensioner NR4	Green colour	5ACG110310
Galvanised wire tensioner NR3	Green colour	5ACG100310
Galvanised wire tensioner NR2	Green colour	5ACG060310
Plastic cable guide	Ø 2,7 à 5 mm - Black	5ACP005150
Hook + J bolt	Galvanised	5ACG010066
Hex lock nuts	Galvanised	5ACG010069
Big galvanised lug		
Safety carabiner		
Privacy netting fastening kit	Black	5ACP040019
Privacy netting fastening kit	Green	5ACP040320
Privacy netting fastening kit	Light Grey	5ACP040021
Hok and hook turnbuckle M8	Dark Grey	5ACP040020
Hook and eye turnbuckle M8		
Grey lid		
Hook and hook turnbuckle M10	Galvanised	5ACG010060
Hook and eye turnbuckle M10	Galvanised	5ACG010063


For BALL STOP, PRIVACY, WINDBREAK and BIRD NETTING



FASTENERS

DESIGNATION	INFORMATION	REFERENCE
PVC split ring	Red colour	5ACP040480
PVC split ring	Black colour	5ACP040150
PVC split ring	White colour	5ACP040250
PVC split ring	Green colour	5ACP040350
PVC split ring	Grey colour	5ACP040450
Cable tie	White or black colour L300x4.8mm	5ACP300...
Galvanised S-hook	40x4 mm	5ACG004090
S-hook	Simplex carabiner - 55mm	5ACG050090
REA pole pulley	60mm Nylon	5ACP060225
Plastic fastening clip	Ø 40 mm - black	5ACP100150
Shock cord pulley	Black - 20 mm	5ACP020110

For BALL STOP NETTING, WINDBREAK / PRIVACY NETTING, BIRD NETTING



SHOCK CORD


For DUMP TRUCK
NETS

REFERENCE	DIAMETER	COLOUR
5COD060150	6 mm	Black
5COD060250	6 mm	White
5COD060350	6 mm	Green
5ACP080150	8 mm	Black
5COD080250	8 mm	White
5ACP080350	8 mm	Green



ROPES


PER REEL



REFERENCE	MATERIAL	COLOUR	DIAMETER	WEIGHT	LENGTH
5COD020270	Polyamide	White	2 mm	1 kg	300 m
5COD030270	Polyamide	White	3 mm	1 kg	175 m
5COD060270	Polyamide	White	6 mm	6 kg	300 m
5COD060110	Polypropylene	Black	6 mm	1 kg	100 m
5COD025110	Twisted polyethylene	Black	2,5 mm	1 kg	450 m
5COD030110	Twisted polyethylene	Black	3 mm	1 kg	250 m
5COD050110	Twisted polyethylene	Black	6 mm	15 kg	1000 m
5COD025510	Twisted polyethylene	Dark Green	2,5 mm	1 kg	450 m
5COD030310	Twisted polyethylene	Dark Green	3 mm	1 kg	330 m
5COD030120	Braided polyethylene	Black	3 mm	1 kg	330 m
5COD035120	Braided polyethylene	Black	3,5 mm	1 kg	280 m
5COD040120	Braided polyethylene	Black	4 mm	1 kg	190 m
5COD030320	Braided polyethylene	Dark Green	3 mm	1 kg	330 m
5COD040520	Braided polyethylene	Light Green	4 mm	1 kg	190 m
5COD030620	Braided polyethylene	Blue	3 mm	1 kg	330 m

PER METER

REFERENCE	MATERIAL	COLOUR	DIAMETER
5COD070270	Polyamide	White + red edging	7 mm
5COD090270	Polyamide	White + red edging	9 mm
5COD050290	Kevlar	Kevlar + blue edging	5 mm





GENERAL SALES CONDITIONS

t. 1: Subject-matter

These general sales conditions described below detail the rights and obligations of VB Sports and its customer in connection with the sale of the following goods: Protective netting, installation accessories, sports netting, windbreak and privacy netting, scaffolding and aviary netting, cords and packaging. Therefore, any service provided by VB Sports implies the buyer's unconditional acceptance of these general sales conditions.

t. 2: Prices and products

The prices of the goods sold are those in effect on the day the order is placed. They are denominated in EUR and calculated without taxes. Consequently, they will be increased by the VAT rate and transport costs applicable on the day of the order. VB Sports reserves the right to modify its prices at any time. However, VB Sports commits to invoicing the goods ordered at the prices indicated at the time the order is placed. These conditions cannot be modified by correspondence from our buyer, nor by a clause to the contrary, even if contained in an order form. They can only be derogated from if they are discussed and formally accepted by us in writing. Our measurements of mesh sizes are always made between two rows of knots, knot centre to knot centre, while a net is dry and under normal tension. Manufacturing tolerance + or - 5%. The forces, resistances, work or loads are always given as an indication and without engaging our responsibility.

t. 3: Discounts and rebates

The proposed prices include the discounts and rebates that VB Sports may grant in view of its results or the assumption of responsibility by the buyer of certain services.

t. 4: Early payment discount No discount will be granted for early payment.

t. 5: Terms of payment

Payment for orders is made:

- either by cheque;
- or by credit card;
- if applicable, indicate the other means of payment accepted.

t. 6: Late payment

In the event that the buyer fails to pay for all or part of the goods delivered on the date of receipt, the buyer will pay VB Sports a late payment penalty equal to three times the legal interest rate.

The legal interest rate is the one in force on the day of delivery of the goods.

From 1 January 2015, the legal interest rate will be revised every six months (Ordinance no. 2014-947 of 20 August 2014).

The penalty is calculated on the amount including VAT of the outstanding payment, and runs from the due date without any prior notice of default being necessary.

In addition to the late payment penalties, any amount, including the deposit, not paid on the due date automatically gives rise to the payment of a fixed penalty of EUR 40 as a compensation for recovery costs.

Articles 441-6(I)(12) and D. 441-5 of the Commercial Code.

t. 7: Termination clause

If the buyer has not paid the outstanding amounts within fifteen days of the implementation of the "Late Payment" clause, the sale will be automatically cancelled and VB Sports may be entitled to claim damages.

t. 8: Retention of title clause

VB Sports retains ownership of the goods sold until full payment of the price, in principal and in accessories. In this respect, if the buyer is subject to a receivership or a liquidation, VB Sports reserves the right to claim, within the framework of the receivership, the goods sold and not paid. Under law No 80-335 of 12 May 1980 (Official Journal of 13 May 1980, page 1202), the property of the goods described on this document is reserved to the seller until full payment of the price.

t. 9: Delivery

Delivery is made:

- by handing over the goods directly to the buyer; or
- by sending a notice of availability in the shop to the buyer's attention; or
- at the place indicated by the buyer on the order form.

The delivery time indicated at the time of registration of the order is given as an indication only and is not guaranteed.

Consequently, any reasonable delay in the delivery of the products will not give rise to the benefit of the buyer to:

- the award of damages;
- the cancellation of the order.

The transport risk is incurred in full by the buyer.


In the event of missing or damaged goods during transport, the buyer must formulate all necessary reservations on the order form upon receipt of the said goods. These reservations must also be confirmed in writing within five days of delivery, by registered letter, attested by an acknowledgement of receipt.

t. 10: Force majeure

VB Sports cannot be held liable if the non-performance or delay in the performance of any of its obligations described in these general sales conditions is due to force majeure. In this respect, force majeure is defined as any external, unforeseeable and irresistible event within the meaning of Article 1148 of the Civil Code.

t. 11: Competent court

Any dispute relating to the interpretation and execution of these general sales conditions is subject to French law. In the absence of an amicable resolution, the dispute will be brought before the Commercial Court of Rouen.



CONTACT US

Le Gîte - 76490 Saint Wandrille Rançon
Phone. 02 35 56 17 40 - Fax. 02 35 56 17 44
contact@vbsports.eu

FIND ALL OUR PRODUCTS ON
www.vbsports.fr

